

Kinder Morgan Liquids Terminals, ILC

Ms. Annie Hill
Department of Environmental Quality
Northwest Region
2020 SW 4th Avenue, Suite 400
Portland, OR 97201

March 25, 2005

mailed 3/25/05 K&H

Site

1)

Kinder Morgan Liquids Terminals, LLC

Linnton Terminal 11400 St. Helens Road

Portland, OR File No. 32300

Re:

Renewal Application for NPDES Permit No. 1500-A

Dear Ms. Hill:

Please find enclosed a completed application and fees for renewal of National Pollutant Discharge Elimination System (NPDES) Permit No. 1500-A for the above referenced site.

If you require any further information or have any questions regarding this application, please contact Steve Osborn at 707.249.1633.

Sincerely,

Robert Gfahado

Manager - Environmental Compliance

For KMLT, LLC

Enclosures

USEPA SF 1288101 bcc: Wally Stevenson, Linnton Terminal

Steve Osborn

Linnton

NPDES: Permit No. 1500A for Remediation Operations

File No. 32300 Expires June 30, 2005

Site Address:

11400 St. Helens Road

Agency Contact:

DEQ, Elliot Zais

503.229.5292

Site Contact:

Portland, OR 97210

Wallace Stevenson

Consultant:

Delta Env., Scott Miller

503.639.8098

Sampler:

503,220,1263

Delta Env., Scott Miller

Laboratory:

Columbia Inspection

503.286.9464

Waste Stream:

water containsated with petroleum hydrocarbons from groundwater or surface water cleanup.

Discharge Points:

Willamette River

503.639.8098

Treatment System:

sand filters and carbon vessels; system start up on 7/13/04

Carbon Changeout:

7/1/2004

Effluent monitoring should be measured:

- daily during the first five days of discharge
- weekly during the first month of discharge
- monthly during the second through sixth month of discharge
- quarterly after six months from start-up

Sample Parameter	Frequency	Sample Type	Laboratory Method	Discharge Limit
Flow	*see notes above	estimate		
pН	*see notes above	grab	Method 9040B	6.0 <ph<9.0< td=""></ph<9.0<>
TPH	*see notes above	grab	NWTPH	1.0 mg/L
Benzene	*see notes above	grab	Method 8260B	0.025 mg/L
BTEX	*see notes above	grab	Method 8260B	0.25 mg/L
Lead	*see notes above	grab	Method 7421	

Reporting Requirements

Monitoring Reports

summarize volume of water treated

laboratory reports

Submittal Frequency

monthly during weekly and monthly monitoring quarterly during quarterly monitoring

Due Dates

by the 15th of the following month by the 15th of the month following quarter end

DEQ USE ONLY	
Application #:	
File tr	
Mail ID #2/#9:	
LLID/RM:	
ACD Fee Paid:	:
DOC Conf.:	
Notes:	

RENEWAL APPLICATION NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT (NPDES-R)



Oregon Department of Environmental Quality

DEC LISE ONLY	
Received:	
Amount Received:	
Check #1	
Deposit #:	:
DIND DOM DUICI	
Nates;	
•	

Notes:					
A. REFERENCE					
1. Legal Name Kinder Morgan Liquids Ter- : minals, LLC	2. Common Name:Linnton Terminal				
3. Permit #: 1500-A	4. Facility Physical Address: 11400 St. Helens Road				
DBQ Site ID#:32300	City, State, Zip Code: Portland, OR 97210				
Permit Expiration Date: June 30, 2005	County: Multnomah				
5. Responsible Official: Steve Osborn	Telephone #:(707) 249-1633				
Mailing Address: KMEP Rocklin Station P.O. Box 1318	City, State, Zip Code: Rocklin, CA: 95677				
6. Facility Contact: Wally Stevenson	Telephone #: (503) 220-1254				
Facility Mailing Address: 5880 NW St. Helens Roa	ad City, State, Zip Code: Portland, OR 97210				
7. Invoice to: Steve Osborn	Telephone #:(707) 249-1633				
Billing Address: P.O. Box 1318	City, State, Zip Code: ROCklin, CA 95677				
B. REQUIRED (EPA Form 2A, 2B, 2C, 2E, or 2F must	INFORMATION also be submitted with this application)				
1. Briefly describe the permitted facility, type of wastewater, and primary					
The environmental cleanup system at the site was installed to clean up a release of petroleum fuel products from the terminal operations. The system includes a series of five groundwater recovery wells that recover free product and shallow groundwater. Free product is recycled offsite. Extracted groundwater is treated with a sand filter and two activated carbon units connected in series prior to discharge to the Williamette River.					
2. Have the treatment or disposal methods employed, as indicated in previous submitted? YES XNO If "YES," explain:	ous applications, been altered in any way since the last application was				
3. Has the quantity or quality of wastes discharged, as indicated in previou application was submitted? 口 YES 文教 O If "YES," explain					
4. If there are any changes unticipated in the near future that would affect to	waste quantity or quality, attach an explanation or proposal N/A				
5. Review each condition of your current permit and attach a brief report to compliance schedules of the permit. N/A	hat indicates your progress in meeting the requirements, limitations, and				
6. If the permitted facility or operation is a domestic wastewater treatment	plant, attach a copy of your Biosolids Management Plan. N/A				
C. SIGNATURE OF LEGALLY A	UTHORIZED REPRESENTATIVE				
I hereby certify that the information contained in this application is true and correct to the best of my knowledge and belief. In addition, I agree to pay all permit fees required by Oregon Administrative Rules 340-45. This includes a renewal application fee to renew the permit and a compliance determination fee invoiced annually by DEQ to maintain the permit.					
Robert Granado	Manager, Environmental Compliance				
Name of Logody Authorized Representative (Type or Print)	Title				
L Tramelo	03.25.05				
Signature of Legally Authorized Representative	Date				

A/Chackthe box(s) indicating the general invested waster is enconted Coding Weier Xeminary Wester in Sendary in Control of Coding Weier Xeminary Wester in Sendary in Control of Coding Weier Xeminary Wester in Sendary in Code in the Sendary in Code
Top-this outfall
Optial Description De
Descript Date (if a new discharger, the date you expect to begin discharging)
A)Chack the box(si) indicating the general type(s) by waites discharged: Cohe Many cooling water additives are used, list them here. Briefly describe their composition if this information is available. We filtuent: Character August South So
Senitary Wester Sensor Process Sensor Process Sensor Process Senitary Wester Senitary Wester Senitary Wester Senitary Wester Senitary
IV Effluent: Characteristics A. Existing Boulders: 1970 (ID Interest September 1970) (IV) Interest September 1970 (IV) Interest Sep
A Existing Boulces Rough Baraments of the parameters listed in the left hand-column below, unless welved by the parameters authority led in the left hand-column below unless waved by the parameters listed in the left hand-column below unless waved by the parameters listed in the left hand-column below unless waved by the parameters authority line that an unpersual east remembers are not of the source of estimated values (see Inside toos). Politaning P
A Existing Boulces Rolleges was an existence of the parameters listed in the left hand column below surface was an extending authority (see instructions) Rolleges makes for the parameters listed in the left hand column below surfaces was and by the parameters listed in the left hand column below surfaces was and by the parameters listed in the left hand column below surfaces was and by the parameters listed in the left hand column below surfaces was and by the parameters listed in the left hand column below surfaces was an extending to the parameters listed in the left hand column below surfaces was an extending to the parameters listed in the left hand column below surfaces was an extending to the parameters listed in the left hand column below surfaces was an extending and the parameters listed in the left hand column below surfaces was an extending an extending list of the parameters listed in the left hand column below surfaces was an extending and the parameters listed in the left hand column below surfaces was an extending an extending list of the parameters listed in the left hand column below surfaces was an extending and the parameters listed in the left hand column below surfaces was an extending list of the parameters listed in the left hand column below surfaces was an extending list of the parameters listed in the left hand column below surfaces was an extending list of the parameters listed in the left hand column below surfaces was an extending list of the parameters listed in the left hand column below surfaces was an extending list of the parameters listed in the left hand column below surfaces. A year of pall listed was a list of the parameters listed in the left hand column below surfaces. A year of pall listed was a list of the parameters listed in the left hand column below surfaces. A year of pall listed was a list of the parameters listed in the left hand column below surfaces. A year of pall listed was a list of the parameters listed in the left hand column below surfaces. A yea
A Existing Boulces
Average Oelly
Agered Dally (1) Concentration (1) Measurement
Biochemical/Opposition of Top Demond (807) and the Control of Top Opposition of Top
Total Suspended Solds (TSS) TI N/A Facal Collect (If sall every letter) problem (If sall every letter) problem (If sall every letter)
propertion il sentile cycle and the sentile
Inchine du la China (1/2) Inchine du la China (1/2) Entre du la China
(C) and Green (A)
it Chiefilion (continue) is the continue of th
Modelingenic verbon (TOCT)
Ammonis las W. N/A Walter Disenting Flows Value
松空機の機能が対象性の機能の機能 4.33/ dallons/dav Z.loz dallons/dav
Value
ECONOMIC PROPERTY CONTROL VALUE

V-Except lonieaks or spills will the discharge described in this form be intermittent to see a some in the long to the later than the later t	Commission of the Commission o
Il yes, briefly describe the frequency of flow and duration.	
·	
VI Treatment System (Describe build ny breatment system (s) used by to be used (14.1)	
The environmental cleanup system at the site was installed to assist with the cleanup system at the site was installed to assist with the cleanup system at the site was installed to assist with the cleanup system.	inup from a
release of petroleum fuel products from the terminal operations. This environment system includes a series of five groundwater recovery wells that recover free product	and shallow
groundwater at the site. Free product is recovered with product-only skimmer pun	nps and the
recovered product is taken offsite for recycling. Extracted groundwater is treated at the sand filter unit and two 400-cubic-foot activated carbon units connected in set	ies prior to
discharge to the Willamette River. The treated groundwater is discharged to the Willa	amette River
at a single outfall location under a 1500A General NPDES discharge permit (DEQ 32300).	THE MULLIDAY
VIII Other Information (California)	
Use the epace below to a pand upon a rwal threspons allost on a pind or interest entire of the veriewen and the pand of the pa	
VIII. Certification:	
I certify under penalty of law that this document and all attachments were proper advanger my direction or super	laion in accordante with
a system designed to assure that qualified personnel property of the remove and the information submitted by person or persons who manage the system or those persons directly removable for pathier in a the information of the content of the removable for the remova	aintermation submitted 25th
is to the best of my knowledge end belief, hip activities and complete flom a well including the possibility of the analysis and imprisonment for knowing violetions.	AND THE PROPERTY OF THE PROPER
A. Name & Official Title	B. Phone No. (erea code & no.)
Robert Granado Manager, Environmental Compliance	(714) 560-4873
C. Signature	D. Date Signed
	032505

EPA Form 3510-2E (8-90)

Page 2 of 2